







①




②




①




⑫




⑪



⑩




⑨



⑦

⑫	20-1100-3	USB2.0 AM/AF+IC 10M	1	PCS
⑪	20-1100-5	3.5MM M/M 10M	1	PCS
⑩	20-1100-4	USB2.0 AM/BM 1M	1	PCS
⑨	20-1100-2	HDMI2.0 AM/AM 10M	1	PCS
⑧	20-1100-1	VGA (3+9) M/M 10M	1	PCS
⑦	20-1100-9-1/2	USB2.0 AF/AF 0.35M	1	PCS
⑥	20-1100-10-1/2	3.5MM F/F 0.35M	1	PCS
⑤	20-1100-12-1/2	USB2.0 AF/BF 0.35M	1	PCS
④	20-1100-8-1/2	HDMI2.0 AF/AF+IC 0.2M	1	PCS
③	20-1100-11-1/2	VGA (3+9) F/F 0.35M	1	PCS
②	20-1100-7	BACK BOX 146*86*42MM	1	PCS
①	20-1100-6/GG	FACE PLATE 146*86MM	1	PCS
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT

Itemref	Quantity	Title/Name, designation, material, dimension etc			Article NO./Reference		
Designed by FLY		Checkde by HELEN	Approved by - date 2025. 10. 20	File name	Date 2025. 10. 20	Scale FREE	
ANGLE: 					20-1100		
UNIT:MM							Edition 1




SECTION A-A

NOTES:

1. MATERIAL:ABS
2. BURR:0.05mm MAX
3. FACE PLATE COLOR:RAL9003
4. RoHS & REACH Compliant.

Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO./Reference	
Designed by FLY		Checkde by HELEN	Approved by - date 2025.10.20	File name	Date 2025.10.20	Scale FREE
ANGLE: 					20-1100-6/GG	
UNIT:MM					Edition 1	



①	FACE PLATE	DOUBLE GANG FACE PLATE 86*86*14.8	1	PCS
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT





- NOTES:
- 1. MATERIAL:ABS
 - 2. BURR:0.05mm MAX
 - 3. FACE PLATE COLOR:RAL9003
 - 4. RoHS & REACH Compliant.

Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO./Reference	
Designed by FLY	Checkde by HELEN	Approved by - date 2024. 10. 22	File name	Date 2024. 10. 22	Scale FREE	
ANGLE: 				20-1100-7		
UNIT:MM					Edition 1	Sheet 3/13

①	BACK BOX	DOUBLE GANG BACK BOX 86*86*42	1	PCS
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT





NOTES:
1:Open/Short/Intermittence: 100%.
2:RoHS & REACH Compliant.
3:Face plate color:RAL9003




PIN OUT			
P1	P2	P1	P2
1	1	9	9
2	2	10	10
3	3	11	11
4	4	12	12
5	5	13	13
6	6	14	14
7	7	15	15
8	8	SHELL	DRAIN SHELL

⑦	PANEL	PANEL FOR VGA AF, 50*25MM, COLOR:RAL9003	1	PCS
⑥	SCREW	THUMB SCREW #4-40*15	2	PCS
⑤	MOLDED	45P BLACK PVC		G
④	MOLDED	LDPE		G
③	CONNECTOR	VGA15/F+AFTER RIVET NUT, GOLD PLATED PIN, BLUE INSULATION, GOLD PLATED SHELL	1	PCS
②	CONNECTOR	VGA15/F+FRONT RIVET NUT, GOLD PLATED PIN, BLUE INSULATION, GOLD PLATED SHELL	1	PCS
①	CABLE	[7/0. 12BC*1C+FPE+D(7/0. 12BC)+AL+PVC]*3C+7/0. 12BC*9C+AL+D(7/0. 12BC)+B(80/0. 12ALM), BLACK PVC DENTATE JACKET OD:8. 0±0. 2mm	350	MM
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT


Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO. /Reference		
Designed by FLY	Checkde by HELEN	Approved by - date 2024. 10. 22	File name	Date 2024. 10. 22	Scale FREE		
ANGLE: 				20-1100-11-1/2			
UNIT:MM					Edition 1	Sheet 4/13	




NOTES:
1:Open/Short/Intermittence: 100%.
2:Resolution: 4K*2K@60Hz 4:4:4
3.RoHS & REACH Compliant.
4:Face plate color:RAL9003



PART1





PART2




⑪	PANEL	ABS PANEL FOR HDMI AF, 50*25mm, Color:RAL9003	1	PCS
⑩	SCREW	PHILIPS SCREW #4-40 UNC NICKEL PLATED L=12MM	2	PCS
⑨	NUT	EMBEDDED NUT #4-40 UNC NICKEL PLATED L=10MM	2	PCS
⑧	MOLDING	45P BLACK PVC		G
⑦	MOLDING	LDPE MG70		G
⑥	COPPER FOIL	COPPER FOIL TAPE DOUBLE SIDE CONDUCTIVE 25*100MM		MM
⑤	SHEATH	METAL SHEATH FOR HDMI FEMALE CONNECTOR	1	PCS
④	CONNECTOR	HDMI FEMALE PCBA WITH REPEATER IC:PI3HDX12211AZHEX	1	PCS
③	SHEATH	HDMI FEMALE CONNECTOR SHEATH BLACK ABS L=8.5MM	1	PCS
②	CONNECTOR	HDMI FEMALE CONNECTOR CONTACT PIN G/F AND SHELL GOLDEN PLATED	1	PCS
①	CABLE	HDMI2. 1[(1/0. 32BC)*2C+D(1/0. 254TC)+AL]*5+(1/0. 254BC)*4C+AL-FOIL+D(1/0. 32TC)+B(16/6/0. 12AL-MG) BLACK PVC JACKET OD:7. 3±0. 2MM	200	MM
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT


Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO. /Reference		
Designed by FLY	Checkde by HELEN	Approved by - date 2024. 10. 22	File name	Date 2024. 10. 22	Scale FREE		
ANGLE: 				20-1100-8-1/2			
UNIT:MM					Edition 1	Sheet 5/13	



NOTES:
1:Open/Short/Intermittence: 100%.
2:RoHS & REACH Compliant.
3:Face plate color:RAL9003




PART1





P1

PART2




⑧	PANEL	PANEL FOR USB AF, 50*25MM, COLOR:RAL9003	1	PCS
⑦	SCREW	THUMB SCREW #4-40*15	2	PCS
⑥	EMBED NUT	NUT-NICKEL PLATED(#4-40)	2	PCS
⑤	MOLDED	45P BLACK PVC		G
④	MOLDED	LDPE		G
③	CONNECTOR	USB2.0 AF, GOLD PLATED PIN, WHITE INSULATION, NICKEL PLATED SHELL	1	PCS
②	CONNECTOR	USB2.0 BF, GOLD PLATED PIN, WHITE INSULATION, NICKEL PLATED SHELL	1	PCS
①	CABLE	7/0. 12BC*1P+7/0. 20BC*2C+AL-FOIL+D(1/0. 254BC)+B(64/0. 12AL-MG), BLACK PVC JACKET OD: 4. 8±0. 2mm	350	MM
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT


Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO. /Reference	
Designed by FLY	Checkde by HELEN	Approved by - date 2024. 10. 22	File name	Date 2024. 10. 22	Scale FREE	
ANGLE: 				20-1100-12-1/2		
UNIT:MM					Edition 1	Sheet 6/13



NOTES:
1:Open/Short/Intermittence: 100%.
2:RoHS & REACH Compliant.
3:Face plate color:RAL9003





PART1




PART2

PIN OUT	
P1	P2
1	1
2	2
3	SPIRAL 3



⑤	PANEL	PANEL FOR DC3. 5, 50*25MM, COLOR:RAL9003	1	PCS	Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO. /Reference		
④	MOLDED	45P BLACK PVC		G	Designed by	Checkde by	Approved by - date		File name	Date	Scale	
③	CONNECTOR	DC3. 5 STEREO FEMALE, NICKEL PLATED CONTACT	1	PCS	FLY	HELEN	2024. 10. 22			2024. 10. 22	FREE	
②	CONNECTOR	USB2. 0 AF, GOLD PLATED PIN, WHITE INSULATION, NICKEL PLATED SHELL	1	PCS	ANGLE:					20-1100-10-1/2		
①	CABLE	7/0. 12BC*2C+S (28*0. 1BC) , JACKET:BLACK PVC, OD: 4. 0±0. 2mm	400	MM	UNIT:MM					Edition	Sheet	
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT							1	7/13



NOTES:
1:Open/Short/Intermittence: 100%.
2:RoHS & REACH Compliant.
3:Face plate color:RAL9003




PART1



⑦	PANEL	PANEL FOR USB AF, 50*25MM, COLOR:RAL9003	1	PCS
⑥	SCREW	THUMB SCREW #4-40*15	2	PCS
⑤	EMBED NUT	NUT-NICKEL PLATED(#4-40)	2	PCS
④	MOLDED	45P BLACK PVC		G
③	MOLDED	LDPE		G
②	CONNECTOR	USB2.0 AF, GOLD PLATED PIN, WHITE INSULATION, NICKEL PLATED SHELL	2	PCS
①	CABLE	7/0.12BC*1P+7/0.20BC*2C+AL-FOIL+D(1/0.254BC)+B(64/0.12AL-MG), BLACK PVC JACKET OD:4.8±0.2mm	350	MM
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT

Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO./Reference		
Designed by FLY		Checkde by HELEN	Approved by - date 2024. 10. 22	File name	Date 2024. 10. 22	Scale FREE	
ANGLE: 					20-1100-9-1/2		
UNIT:MM						Edition 1	Sheet 8/13




NOTES:

1. Open/Short/Intermittence: 100%
2. Insulation Resistance: DC300V 10mS 10MΩ (Min)
3. Conductive Resistance: 10Ω (Max)
4. RESOLUTION: 1440*900@60Hz
5. RoHS & REACH COMPLIANT


PIN OUT

P1	P2	P1	P2
1	1	9	9
2	2	10	10
3	3	11	11
4	4	12	12
5	5	13	13
6	6	14	14
7	7	15	15
8	8	SHELL	DRAIN SHELL

④	MOLDED	45P BLACK PVC		G	Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO. /Reference		
③	MOLDED	LDPE		G	Designed by		Checkde by	Approved by - date	File name	Date	Scale	
②	CONNECTOR	VGA 15P MALE, GOLD PLATED PIN, BLUE INSULATION, NICKEL PLATED SHELL	2	PCS	FLY		HELEN	2024. 10. 22		2024. 10. 22	FREE	
①	CABLE	(7/0. 10TC+FPE+D+A+PVC)*3+7/0. 10TC*9C+ADB, BLACK PVC DENTATE JACKET, OD:8.0±0.2MM MARKING:connektgear AWM STYLE 2919 80℃ 30V LOW VOLTAGE Computer Cable RoHS & REACH Compliant	10000	MM	ANGLE:		20-1100-1					
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT	UNIT:MM					Edition	Sheet	
										1	9/13	




- NOTES:
- 1. OPEN/SHORT/INTERMITTENCE:100%.
 - 2. INSULATION RESISTANCE:DC 300V 0.01S 10MΩMIN
 - 3. CONDUCTIVE RESISTANCE:15ΩMAX
 - 4. RESOLUTION:4K*2K@60HZ 4:4:4 8BIT.
 - 5. ROHS & REACH COMPLIANT




⑥	DUST CAP	HDMI A MALE DUST CAP	2	PCS
⑤	FERRIT RING	FERRITE MAGNETIC RING RH14. 2*28. 5*10MM	2	PCS
④	MOLDED	45P BLACK PVC		G
③	MOLDED	LDPE		G
②	CONNECTOR	HDMI A MALE, GOLD PLATED PIN, BLACK INSULATION, GOLD PLATED SHELL	2	PCS
①	CABLE	(1/0. 45BC*1P+1/0. 32BC+AL/MYLAR)*5C+1/0. 254BC*3C+1/0. 45BC+AL+D(1/0. 32BC)+B(128/0. 12AL-MG) BLACK PVC JACKET OD:9.0±0.2MM MARKING:4K×2K(2160P)Ultra-High Definition•3D Cable High Speed HDMI™ Cable with Ethernet E***** 兄 AWM 20276 80℃ 30V VW-1	10000	MM
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT

Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO. /Reference		
Designed by FLY	Checkde by HELEN	Approved by - date 2024. 10. 22	File name	Date 2024. 10. 22	Scale FREE		
ANGLE:				20-1100-2			
UNIT:MM					Edition 1	Sheet 10/13	



PIN OUT




SHELL ————— SHELL


NOTES :

- 1.100% short, open and miss wire test
- 2.RoHS & REACH Compliant

⑤	MOLDED	45P BLACK PVC		G	<table><tr><td>Ltemref</td><td>Quantity</td><td colspan="3">Title/Name, designation, material, dimension etc</td><td colspan="2">Article NO. /Reference</td></tr><tr><td colspan="2">Designed by FLY</td><td>Checkdde by HELEN</td><td>Approved by - date 2024. 10. 22</td><td>File name</td><td>Date 2024. 10. 22</td><td>Scale FREE</td></tr><tr><td colspan="2">ANGLE: </td><td colspan="3" rowspan="2"></td><td colspan="2">20-1100-4</td></tr><tr><td colspan="2">UNIT:MM</td><td></td><td>Edition 1</td><td>Sheet 11/13</td></tr></table>	Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO. /Reference		Designed by FLY		Checkdde by HELEN	Approved by - date 2024. 10. 22	File name	Date 2024. 10. 22	Scale FREE	ANGLE: 					20-1100-4		UNIT:MM			Edition 1	Sheet 11/13
Ltemref	Quantity	Title/Name, designation, material, dimension etc				Article NO. /Reference																									
Designed by FLY		Checkdde by HELEN	Approved by - date 2024. 10. 22	File name		Date 2024. 10. 22	Scale FREE																								
ANGLE: 						20-1100-4																									
UNIT:MM							Edition 1	Sheet 11/13																							
④	MOLDED	LDPE		G																											
③	CONNECTOR	USB2.0 BM, GOLD PLATED PIN, BLUE INSULATION, NICKEL PLATED SHELL	1	PCS																											
②	CONNECTOR	USB2.0 AM, GOLD PLATED PIN, BLUE INSULATION, NICKEL PLATED SHELL	1	PCS																											
①	CABLE	7/0. 12BC*1P+7/0. 12BC*2C+AL/MY+D(7/0. 12CCS)+B(48/0. 12ALM) BLACK PVC JACKET OD:3. 8±0. 2mm MARKING: connektgear AWM STYLE 2725 80℃ 30V VW-1 USB2.0 HIGH SPEED CABLE ROHS & REACH COMPLIANT	1000	MM																											
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT					Edition 1	Sheet 11/13																					



PIN OUT



- NOTES:
- 1.100% short,open and miss wire test
 - 2.RoHS & REACH Compliant

⑥	MOLDED	45P BLACK PVC		G
⑤	MOLDED	LDPE		G
④	PLASTIC HOOD	USB2.0 AF BLACK PLASTIC HOOD	1	PCS
③	CONNECTOR	USB2.0 AF, GOLD PLATED PIN, BLUE INSULATION, NICKEL PLATED SHELL+PCB-FE1.1S	1	PCS
②	CONNECTOR	USB2.0 AM, GOLD PLATED PIN, BLUE INSULATION, NICKEL PLATED SHELL	1	PCS
①	CABLE	7/0.12TC*1P+7/0.20*2C+AL-FOIL+D(1/0.254BC)+B(64/0.12AL-MG) BLACK PVC JACKET OD:4.5±0.2mm MARKING:E***** 兄 AWM 2725 80℃ 30V VW-1 28AWG/1P AND 24AWG/2C USB2.0 CABLE	5000	MM
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT

Ltemref	Quantity	Title/Name, designation, material, dimension etc			Article NO./Reference		
Designed by FLY		Checkde by HELEN	Approved by - date 2024.10.22	File name	Date 2024.10.22	Scale FREE	
ANGLE:					20-1100-3		
UNIT:MM						Edition 1	Sheet 13/13